















- [7] D. DeVault, K. Georgila, R. Artstein, F. Morbini, D. Traum, S. Scherer, A. S. Rizzo, and L.-P. Morency. Verbal indicators of psychological distress in interactive dialogue with a virtual human. In *Proceedings of SIGdial*, 2013.
- [8] L. A. Fairbanks, M. T. McGuire, and C. J. Harris. Nonverbal interaction of patients and therapists during psychiatric interviews. *Journal of Abnormal Psychology*, 91(2):109–119, 1982.
- [9] J. Gratch, R. Artstein, G. Lucas, G. Stratou, S. Scherer, A. Nazarian, R. Wood, J. Boberg, D. DeVault, S. Marsella, D. Traum, S. Rizzo, and L.-P. Morency. The Distress Analysis Interview Corpus of human and computer interviews. In *LREC 2014*, to appear.
- [10] J. Gratch, L.-P. Morency, S. Scherer, G. Stratou, J. Boberg, S. Koenig, T. Adamson, A. Rizzo, et al. User-state sensing for virtual health agents and telehealth applications. *Studies in health technology and informatics*, 184:151–157, 2012.
- [11] J. Gratch, N. Wang, J. Gerten, E. Fast, and R. Duffy. Creating rapport with virtual agents. In *Intelligent Virtual Agents*, 2007.
- [12] J. A. Hall, J. A. Harrigan, and R. Rosenthal. Nonverbal behavior in clinician-patient interaction. *Applied and Preventive Psychology*, 4(1):21 – 37, 1995.
- [13] J. Hart, J. Gratch, and S. Marsella. *How Virtual Reality Training Can Win Friends and Influence People*, chapter 21, pages 235–249. Human Factors in Defence. Ashgate, 2013.
- [14] A. Hartholt, D. Traum, S. Marsella, A. Shapiro, G. Stratou, A. Leuski, L.-P. Morency, and J. Gratch. All together now, introducing the virtual human toolkit. In *Intelligent Virtual Agents*, 2013.
- [15] D. Huggins-Daines, M. Kumar, A. Chan, A. W. Black, M. Ravishankar, and A. I. Rudnicky. Pocketsphinx: A free, real-time continuous speech recognition system for hand-held devices. In *Proceedings of ICASSP*, 2006.
- [16] A. N. Joinson. Self-disclosure in computer-mediated communication: The role of self-awareness and visual anonymity. *European Journal of Social Psychology*, 31(2):177–192, 2001.
- [17] D. Jurafsky, E. Shriberg, and D. Biasca. Switchboard SWBD-DAMSL Shallow-Discourse-Function Annotation Coders Manual, Draft 13. 1997.
- [18] S.-H. Kang and J. Gratch. Socially anxious people reveal more personal information with virtual counselors that talk about themselves using intimate human back stories. In B. Wiederhold and G. Riva, editors, *Annual Review of Cybertherapy and Telemedicine*, pages 202–207. IOS Press, 2012.
- [19] A. Kirsch and S. Brunnhuber. Facial expression and experience of emotions in psychodynamic interviews with patients with PTSD in comparison to healthy subjects. *Psychopathology*, 40(5):296–302, 2007.
- [20] S. Kopp, B. Krenn, S. Marsella, A. Marshall, C. Pelachaud, H. Pirker, K. Thorisson, and H. Vilhjalmsson. Towards a common framework for multimodal generation: The behavior markup language. In *Intelligent Virtual Agents*, 2006.
- [21] C. Kublbeck and A. Ernst. Face detection and tracking in video sequences using the modifiedcensus transformation. *Image and Vision Computing*, 24(6):564 – 572, 2006.
- [22] M. Lhommet and S. C. Marsella. Gesture with meaning. In *Intelligent Virtual Agents*, 2013.
- [23] S. Marsella, Y. Xu, M. Lhommet, A. Feng, S. Scherer, and A. Shapiro. Virtual character performance from speech. In *Proceedings of the Symposium on Computer Animation*, Anaheim, 2013.
- [24] F. Morbini, D. DeVault, K. Sagae, J. Gerten, A. Nazarian, and D. Traum. FLoReS: A forward looking reward seeking dialogue manager. In *Proceedings of IWSDS*, 2012.
- [25] L.-P. Morency, J. Whitehill, and J. Movellan. Generalized adaptive view-based appearance model: Integrated framework for monocular head pose estimation. In *The IEEE Conference on Automatic Face and Gesture Recognition*, 2008.
- [26] J. E. Perez and R. E. Riggio. *Nonverbal social skills and psychopathology*, pages 17–44. Nonverbal behavior in clinical settings. Oxford University Press, 2003.
- [27] L. I. Reed, M. A. Sayette, and J. F. Cohn. Impact of Depression on Response to Comedy: A Dynamic Facial Coding Analysis. *Journal of Abnormal Psychology*, 116:804–809, 2007.
- [28] S. Rude, E.-M. Gortner, and J. Pennebaker. Language use of depressed and depression-vulnerable college students. *Cognition & Emotion*, 18(8), 2004.
- [29] S. Scherer, S. Marsella, G. Stratou, Y. Xu, F. Morbini, A. Egan, A. Rizzo, and L. P. Morency. Perception markup language: Towards a standardized representation of perceived nonverbal behaviors. In *Intelligent Virtual Agents*, 2012.
- [30] S. Scherer, G. Stratou, J. Gratch, and L.-P. Morency. Investigating voice quality as a speaker-independent indicator of depression and PTSD. In *Proceedings of Interspeech 2013*, pages 847–851. ISCA, 2013.
- [31] S. Scherer, G. Stratou, M. Mahmoud, J. Boberg, J. Gratch, A. Rizzo, and L.-P. Morency. Automatic behavior descriptors for psychological disorder analysis. In *IEEE Conference on Automatic Face and Gesture Recognition*, 2013.
- [32] S. Scherer, G. Stratou, and L.-P. Morency. Audiovisual behavior descriptors for depression assessment. In *ICMI*, 2013.
- [33] G. Stratou, S. Scherer, J. Gratch, and L.-P. Morency. Automatic nonverbal behavior indicators of depression and PTSD: Exploring gender differences. In *Affective Computing and Intelligent Interaction (ACII)*, 2013.
- [34] M. Taboada, J. Brooke, M. Tofiloski, K. Voll, and M. Stede. Lexicon-based methods for sentiment analysis. *Computational Linguistics*, 37(2), June 2011.
- [35] M. Thiebaux, S. Marsella, A. N. Marshall, and M. Kallmann. SmartBody: behavior realization for embodied conversational agents. In *AAMAS*, 2008.
- [36] Z. Wang, J. Lee, and S. Marsella. Multi-party, multi-role comprehensive listening behavior. *Autonomous Agents and Multi-Agent Systems*, 27(2):218–234, Sept. 2013.
- [37] S. Weisband and S. Kiesler. Self-disclosure on computer forms: Meta analysis and implications. In *CHI*, volume 96, pages 3–10, 1996.